

**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES**  
**DIVISION OF ENVIRONMENTAL HEALTH**  
**EATING & DRINKING ESTABLISHMENT / FOOD ESTABLISHMENT**  
**INSPECTION REPORT**

<b>REASON</b>		<b>GRADE</b>	<b>Inspection Date:</b>		<b>ESTABLISHMENT NAME:</b>	
Regular	✓	10	10/10/2018		HATA ADAI MARKET	
Follow-Up			Time In	Time Out	OWNER/OPERATOR:	
Complaint	✓	RATING	9:15 am	3:45 pm	PUBG CORPORATION	
Investigation			Sanitary Permit No.:	LOCATION: LOT 1 NEW BLK ITR 10 415 Establishment Type:		
Other:		A	20000-19 00100 19		586 CHUAN PAE RAMON HATA YICH GUAM PROCESSING PLANT	
			PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner, as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED ON THIS DAY IN REGARDS TO COMPLAINT NO. (18-066) REST ROOMS DO NOT HAVE PROPER VENTILATION, BUTCHER AREA IS UNSANITARY AND CUTTING BOARDS ARE STAINED.		
	COMPLAINT WAS NOT OBSERVED AT TIME OF INSPECTION.		
	THE FOLLOWING VIOLATIONS WERE OBSERVED:		
#14	OBSERVED CUT MARKS IN CUTTING BOARD.	2	11/9/18
	ALL FOOD-CONTACT SURFACES SHALL BE SMOOTH/EASILY CLEANABLE AND NON-ABSORBENT. THIS IS TO PREVENT ANY CONTAMINATION OF FOOD.		
#22	OBSERVED FOOD PARTICLES ON THE FOOD-CONTACT SURFACE OF THE MEAT SLICER.	4	11/9/18
	ALL FOOD-CONTACT SURFACES SHALL BE CLEANED AS OFTEN AS NEEDED TO PREVENT CONTAMINATION OF FOOD.		
#36	FLOOR CHIPPED/DISREPAIR.		
	ALL FLOORS SHALL BE SMOOTH/EASILY CLEANABLE AND NON ABSORBENT.	2	11/9/18
	THIS IS TO ALLOW THOROUGH CLEANING.		

I have read and understand the above violation(s) and I am aware of the corrective measures that I must take.

\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:

(1), (3), (11), (12), (27), (28), (30), (41) & (45).

Received By (Name & Title):

LORENZO GALIZ SUPERVISOR

DEH Inspector (Name & Title):

Deion A. Tully EPHO-II CHIEF OF ENFORCEMENT

REASON		GRADE	Inspection Date:		ESTABLISHMENT NAME:	
Regular	✓		10/10/2018		HAFA ADAI MARKET	
Follow-Up		10	Time In	Time Out	OWNER/OPERATOR:	
Complaint	✓		9:15AM	3:45PM	PJ & G CORPORATION	
Investigation		RATING	Sanitary Permit No.:		LOCATION: LOT 1 NEW BLK 1 TR 1044 Establishment Type:	
Other:			A	20000-19000019		SB6 CHUAN PAKE RAMIN HAYA KETO GUAM PROCE SLNGT PLANT
					PERMIT STATUS: ✓ Valid _____ Temporary _____ Expired	

ITEM*	REMARKS	DEMERIT	CORRECT BY
#39	LIGHTING IN THE FOOD PREPARATION/WAREWASHING AREA HAS LIGHTING OF 5.2 FOOT CANDLES AND 12.7 FOOT CANDLES.	2	11/9/18
	ALL LIGHTING IN FOOD PREPARATION/WAREWASHING AREAS SHALL BE AT LEAST 20 FOOT CANDLES TO THOROUGHLY CLEAN FOOD PREPARATION/WAREWASHING AREAS AND IDENTIFY ANY POTENTIAL HAZARDS.		
	PHOTOS WERE TAKEN		
	REMOVED PREVIOUS 'A' PLACARD WITH UNKNOWN PLACARD NO. ISSUED 'A' PLACARD NO. 02135		
	DISCUSSED INSPECTION REPORT WITH PIC.		

Dorion Mitchell EPRO-II / E.T.A.EPR-I